| Notice of Allowability | Application No. | Applicant(s) |
|--|--|-----------------|
| | 09/518,034 | FURUKAWA ET AL. |
| | Examiner | Art Unit |
| | Prenell P Jones | 2667 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to 6/18/2004. | | |
| 2. The allowed claim(s) is/are <u>1-41</u> . | | |
| 3. The drawings filed on 3/3/00 are accepted by the Examiner. | | |
| 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendm | e |
| | | · |

Application/Control Number: 09/518,034

Art Unit: 2667

Allowable Subject Matter

- 1. Claims 1-41 are allowed over prior.
- 2. The following is a statement of reasons for allowance: As indicated in the previous office action claims 2-25 and 27-41 contain allowable subject matte. Applicant has amended claims 1 and 26, which corrects the previously indicated 112, second paragraph rejection. Although the cited prior art, Fukumasa et al, Leem, teach spread spectrum mobile system that allocates codes after code processing which consist of combining codes to produce additional codes, they fail to teach/suggest M (sets of combined codes) as being defined as (INT (N/S)+1), where N is the total number of codes used for used by all mobile stations connected with a base station and S is the total number of orthogonal codes, multiple ("k") spread adder units and an adder for adding spread spectrum signals from multiple ("k") adder units, code allocation is executed when a set of transmission signals from the base station is changed, and generating another set of combined codes by multiplying first codes by another different code selected from a second set of second codes after third set of combined codes has been used to transmit approved spectrum signals.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Prenell P. Jones whose telephone number is 571-272-3180. The examiner can normally be reached on 9:00-5:30.

Page 3

Application/Control Number: 09/518,034

Art Unit: 2667

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 571-272-3179. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Prenell P. Jones

October 8, 2004

CHI PHAM

PRINCIPLE EXAMINER

TO DEA CENTER SOON